

DC Contactor

DC Contactor Product Overview



































USES









The company is a manufacturer specializing in the research and development, production, sales, and service of DC contactors. It mainly produces accessories such as low-voltage DC contactors, high-voltage DC contactors, magnetic retention DC contactors, etc., which are applied to new energy electric vehicles, energy storage equipment, communication equipment, frequency converter equipment, programmable power supplies, and uninterruptible power supply equipment.









PRODUCT DETAIL LIST

(Total 125 kinds)

				Product name: DC Contactor Product type: CZ10-80 Rated load current: 80A Contact form: 1 NO Coil power: 5-10 W	1
				Product name: DC Contactor Product type: CZ10-150 Rated load current: 150A Contact form: 1 NO Coil power: 8-13 W	2
				Product name: DC Contactor Product type: CZ10-150-L Rated load current: 150A Contact form: 1 NO Coil power: 9-19 W	3
				Product name: DC Contactor Product type: CZ10-250 Rated load current: 250A Contact form: 1 NO Coil power: 10-15 W	4
				Product name: DC Contactor Product type: SDC6-150A/10 Rated load current: 150A Contact form: 1 NO Coil power: 8-13 W	5
				Product name: DC Contactor Product type: QCC14-100A/11 Rated load current: 100A Contact form: 1 NO 1 NC Coil power: 8-13 W	6
				Product name: DC Contactor Product type: SZJ50A-D Rated load current: 50A Contact form: 1 NO Coil power: 4-9 W	7


























				Product name: DC Contactor Product type: SZJB50A-D Rated load current: 50A Contact form: 1 NC Coil power: 7-15 W	8
				Product name: DC Contactor Product type: SZJ100A-D Rated load current: 100A Contact form: 1 NO Coil power: 5-10 W	9
				Product name: DC Contactor Product type: SZJ100A Rated load current: 100A Contact form: 1 NO Coil power: Start:120-170,Keep:3-8 W	10
				Product name: DC Contactor Product type: SZJB100A-D Rated load current: 100A Contact form: 1 NC Coil power: 5-10 W	11
				Product name: DC Contactor Product type: SZJ200A-D Rated load current: 200A Contact form: 1 NO Coil power: 7-15 W	12
				Product name: DC Contactor Product type: SZJ200A Rated load current: 200A Contact form: 1 NO Coil power: Start:120-170,Keep:4-10 W	13
				Product name: DC Contactor Product type: SZJB200A-D Rated load current: 200A Contact form: 1 NC Coil power: 7-15 W	14
				Product name: DC Contactor Product type: SZJ300A Rated load current: 300A Contact form: 1 NO Coil power: Start:120-170,Keep:4-10 W	15









	<p>Product name: DC Contactor Product type: SZJB300A-D Rated load current: 300A Contact form: 1 NC Coil power: 7-15 W</p> <p>16</p>
	<p>Product name: DC Contactor Product type: SZJ400A-D Rated load current: 400A Contact form: 1 NO Coil power: 9-18 W</p> <p>17</p>
	<p>Product name: DC Contactor Product type: SZJ400A Rated load current: 400A Contact form: 1 NO Coil power: Start:120-170,Keep:5-11 W</p> <p>18</p>
	<p>Product name: DC Contactor Product type: SZJB400A Rated load current: 400A Contact form: 1 NC Coil power: Start:200-240,Keep:3-8 W</p> <p>19</p>
	<p>Product name: DC Contactor Product type: SZJ600A-D Rated load current: 600A Contact form: 1 NO Coil power: 12-22 W</p> <p>20</p>
	<p>Product name: DC Contactor Product type: SZJ600A Rated load current: 600A Contact form: 1 NO Coil power: Start:120-170,Keep:6-13 W</p> <p>21</p>
	<p>Product name: DC Contactor Product type: SZJB600A Rated load current: 600A Contact form: 1 NC Coil power: Start:200-240,Keep:3-8 W</p> <p>22</p>
	<p>Product name: DC Contactor Product type: SZJ800A Rated load current: 800A Contact form: 1 NO Coil power: Start:120-170,Keep:6-12 W</p> <p>23</p>









	<p>Product name: DC Contactor Product type: SZJ1000A Rated load current: 1000A Contact form: 1 NO Coil power: Start:140-190,Keep:9-18 W</p> <p>24</p>
	<p>Product name: DC Contactor Product type: SZJ1500A Rated load current: 1500A Contact form: 1 NO Coil power: Start:140-190,Keep:9-18 W</p> <p>25</p>
	<p>Product name: DC Contactor Product type: QZJ50A-D Rated load current: 50A Contact form: 1 NO Coil power: 5-9 W</p> <p>26</p>
	<p>Product name: DC Contactor Product type: QZJB50A-D Rated load current: 50A Contact form: 1 NC Coil power: 5-9 W</p> <p>27</p>
	<p>Product name: DC Contactor Product type: QZJ100A Rated load current: 100A Contact form: 1 NO Coil power: Start:35-65,Keep:2-5 W</p> <p>28</p>
	<p>Product name: DC Contactor Product type: QZJB100A Rated load current: 100A Contact form: 1 NC Coil power: Start:35-65,Keep:2-5 W</p> <p>29</p>
	<p>Product name: DC Contactor Product type: QZJ200A Rated load current: 200A Contact form: 1 NO Coil power: Start:35-65,Keep:2-6 W</p> <p>30</p>
	<p>Product name: DC Contactor Product type: QZJB200A Rated load current: 200A Contact form: 1 NC Coil power: Start:35-65,Keep:2-6 W</p> <p>31</p>









	<p>Product name: DC Contactor Product type: QZJ400A Rated load current: 400A Contact form: 1 NO Coil power: Start:35-65,Keep:3-8 W</p> <p>32</p>
	<p>Product name: DC Contactor Product type: QZJB400A Rated load current: 400A Contact form: 1 NC Coil power: Start:35-65,Keep:3-8 W</p> <p>33</p>
	<p>Product name: DC Contactor Product type: QZJ600A Rated load current: 600A Contact form: 1 NO Coil power: Start:35-65,Keep:4-10 W</p> <p>34</p>
	<p>Product name: DC Contactor Product type: QZJB600A Rated load current: 600A Contact form: 1 NC Coil power: Start:35-65,Keep:4-10 W</p> <p>35</p>
	<p>Product name: DC Contactor Product type: CZW50A Rated load current: 50A Contact form: 1 NO Coil power: 5-10 W</p> <p>36</p>
	<p>Product name: DC Contactor Product type: CZW100A Rated load current: 100A Contact form: 1 NO Coil power: 8-13 W</p> <p>37</p>
	<p>Product name: DC Contactor Product type: CZWB100A Rated load current: 100A Contact form: 1 NC Coil power: 14-23 W</p> <p>38</p>
	<p>Product name: DC Contactor Product type: CZWH100A Rated load current: 100A Contact form: 1 NO 1 NC Coil power: 14-23 W</p> <p>39</p>









	Product name: DC Contactor Product type: CZWH100A-T Rated load current: 100A Contact form: 1 NO 1 NC Convert Coil power: 14-23 W	40
	Product name: DC Contactor Product type: CZWH100A-2T Rated load current: 100A Contact form: Convert the two groups (2 SFDT) Coil power: 14-23 W	41
	Product name: DC Contactor Product type: CZWP100A Rated load current: 100A Contact form: 1 NO Coil power: 8-25 W	42
	Product name: DC Contactor Product type: CZWJ100A Rated load current: 100A Contact form: 2 NO Coil power: 14-23 W	43
	Product name: DC Contactor Product type: CZWJ100A-2T Rated load current: 100A Contact form: 4 NO Coil power: 14-23 W	44
	Product name: DC Contactor Product type: CZWT150A Rated load current: 150A Contact form: Convert the two groups (2 SFDT) Coil power: 14-23 W	45
	Product name: DC Contactor Product type: CZW200A Rated load current: 200A Contact form: 1 NO Coil power: 12-18 W	46
	Product name: DC Contactor Product type: CZWB200A Rated load current: 200A Contact form: 1 NC Coil power: 20-35 W	47

				Product name: DC Contactor Product type: CZWH200A Rated load current: 200A Contact form: 1 NO 1 NC Coil power: 20-35 W	48
				Product name: DC Contactor Product type: CZWH200A-T Rated load current: 200A Contact form: 1 NO 1 NC Convert Coil power: 20-35 W	49
				Product name: DC Contactor Product type: CZWH200A-2T Rated load current: 200A Contact form: Convert the two groups (2 SPDT) Coil power: 20-35 W	50
				Product name: DC Contactor Product type: CZWT200A Rated load current: 200A Contact form: Convert the two groups (2 SPDT) Coil power: 20-35 W	51
				Product name: DC Contactor Product type: CZWJ200A Rated load current: 200A Contact form: 2 NO Coil power: 20-35 W	52
				Product name: DC Contactor Product type: CZWJ200A-2T Rated load current: 200A Contact form: 4 NO Coil power: 20-35 W	53
				Product name: DC Contactor Product type: CZW300A Rated load current: 300A Contact form: 1 NO Coil power: 12-18 W	54
				Product name: DC Contactor Product type: CZW400A Rated load current: 400A Contact form: 1 NO Coil power: 13-30 W	55









	Product name: DC Contactor Product type: CZWB400A Rated load current: 400A Contact form: 1 NC Coil power: 22-40 W	56
	Product name: DC Contactor Product type: CZWH400A Rated load current: 400A Contact form: 1 NO 1 NC Coil power: 22-40 W	57
	Product name: DC Contactor Product type: CZWH400A-T Rated load current: 400A Contact form: 1 NO 1 NC Convert Coil power: 22-40 W	58
	Product name: DC Contactor Product type: CZWH400A-2T Rated load current: 400A Contact form: Convert the two groups (2 SPDT) Coil power: 22-40 W	59
	Product name: DC Contactor Product type: SDC15-100A Rated load current: 100A Contact form: 1 NO Coil power: IN:18-30(default)/CO:9-15 W	60
	Product name: DC Contactor Product type: SDC15-200A Rated load current: 200A Contact form: 1 NO Coil power: IN:18-30(default)/CO:9-15 W	61
	Product name: DC Contactor Product type: SDC15-300A Rated load current: 300A Contact form: 1 NO Coil power: IN:18-30(default)/CO:9-15 W	62
	Product name: DC Contactor Product type: SDC15B-200A Rated load current: 200A Contact form: 1 NO Coil power: IN:18-30(default)/CO:9-15 W	63









	Product name: DC Contactor Product type: S684-200A Rated load current: 200A Contact form: 1 NO Coil power: IN:18-30(default)/CO:9-15 W	64
	Product name: DC Contactor Product type: CZWP100A Rated load current: 100A Contact form: 1 NO Coil power: 8-25 W	65
	Product name: DC Contactor Product type: SR6 Rated load current: 150A Contact form: 1 NO Coil power: 20-30 W	66
	Product name: DC Contactor Product type: CZQ150A Rated load current: 150A Contact form: 1 NO Coil power: 20-35 W	67
	Product name: DC Contactor Product type: CZQH150A-U Rated load current: 150A Contact form: 1 NO 1 NC Convert Coil power: 30-50 W	68
	Product name: DC Contactor Product type: CZQH150A-2T Rated load current: 150A Contact form: Convert the two groups (2 SPDT) Coil power: 30-50 W	69
	Product name: DC Contactor Product type: CZQ300A Rated load current: 300A Contact form: 1 NO Coil power: 20-35 W	70
	Product name: DC Contactor Product type: CZQH300A-U Rated load current: 300A Contact form: 1 NO 1 NC Convert Coil power: 30-50 W	71

	<p>Product name: DC Contactor Product type: CZQH300A-2T Rated load current: 300A Contact form: Convert the two groups (2 SPDT) Coil power: 30-50 W</p> <p>72</p>
	<p>Product name: HV DC Contactor Product type: HEV30 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 3-7; H: Start 3-7,Keep0.5-1.5 W</p> <p>73</p>
	<p>Product name: HV DC Contactor Product type: HEV50 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 3-7; H: Start 3-7,Keep0.5-1.5 W</p> <p>74</p>
	<p>Product name: HV DC Contactor Product type: HEV100 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 4-10; H: Start 4-10,Keep0.5-2 W</p> <p>75</p>
	<p>Product name: HV DC Contactor Product type: HEV150 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 8-20; H: Start 30-50,Keep1.5-4 W</p> <p>76</p>
	<p>Product name: HV DC Contactor Product type: HEV200 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 8-20; H: Start 30-50,Keep1.5-4 W</p> <p>77</p>
	<p>Product name: HV DC Contactor Product type: HEV250 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 8-20; H: Start 30-50,Keep1.5-4 W</p> <p>78</p>
	<p>Product name: HV DC Contactor Product type: HEV300 Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: D: 8-20; H: Start 30-50,Keep1.5-4 W</p> <p>79</p>

	<p>Product name: HV DC Contactor Product type: HEV400</p> <p>80</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: H: Start 30-60,Keep 4-10 W</p>
	<p>Product name: HV DC Contactor Product type: HEV600</p> <p>81</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: H: Start 30-60,Keep 4-10 W</p>
	<p>Product name: HV DC Contactor Product type: HEV800</p> <p>82</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: H: Start 30-60,Keep 4-10 W</p>
	<p>Product name: HV DC Contactor Product type: HEVJ150</p> <p>83</p> <p>Contact form: 2 NO(DPDT-NO) Coil power: D: 8-20; H: Start 30-50,Keep1.5-4 W</p>
	<p>Product name: HV DC Contactor Product type: HEVJ300</p> <p>84</p> <p>Contact form: 2 NO(DPDT-NO) Coil power: H: Start 30-60,Keep 4-10 W</p>
	<p>Product name: HV DC Contactor Product type: SEV30AD</p> <p>85</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 2-7 W</p>
	<p>Product name: HV DC Contactor Product type: SEV50AD</p> <p>86</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 2-7 W</p>
	<p>Product name: HV DC Contactor Product type: SEV100AD</p> <p>87</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 4-10 W</p>

		<p>Product name: HV DC Contactor Product type: SEV100FD</p> <p>Contact form: 1 NO(SPST-NO) with auxiliary or Coil power: 4-10 W</p> <p>88</p>
		<p>Product name: HV DC Contactor Product type: SEV150AD</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 8-20 W</p> <p>89</p>
		<p>Product name: HV DC Contactor Product type: SEV200AD</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 8-20 W</p> <p>90</p>
		<p>Product name: HV DC Contactor Product type: SEV200FD</p> <p>Contact form: 1 NO(SPST-NO) with auxiliary or Coil power: 8-20 W</p> <p>91</p>
		<p>Product name: HV DC Contactor Product type: SEV200AH</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: H: Start30-50,Keep1.5-5 W</p> <p>92</p>
		<p>Product name: HV DC Contactor Product type: SEV250AD</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 8-20 W</p> <p>93</p>
		<p>Product name: HV DC Contactor Product type: SEV250AH</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: H: Start30-50,Keep1.5-5 W</p> <p>94</p>
		<p>Product name: HV DC Contactor Product type: SEV300AD</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-1NC) Coil power: 8-20 W</p> <p>95</p>

				Product name: HV DC Contactor Product type: SEV300AH Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: H: Start30-50,Keep1.5-5 W	96
				Product name: HV DC Contactor Product type: SEV400AH Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: H: Start 30-60,Keep 4-10 W	97
				Product name: HV DC Contactor Product type: SEV600AH Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: H: Start 30-60,Keep 4-10 W	98
				Product name: HV DC Contactor Product type: SEV800AH Contact form: 1 NO(SPST-NO) or 1NC(SPST-NC) Coil power: H: Start 30-60,Keep 4-10 W	99
				Product name: Magnetic Holding DC Contactor Product type: CZW50A-K Rated load current: 50A Contact form: 1 Circuit	100
				Product name: Magnetic Holding DC Contactor Product type: SU1-80A-K Rated load current: 80A Contact form: 1 Circuit	101
				Product name: Magnetic Holding DC Contactor Product type: HEV-K Contact form: 1 Circuit	102
				Product name: Magnetic Holding DC Contactor Product type: CZW100A-K Rated load current: 100A Contact form: 1 Circuit	103

				Product name: Magnetic Holding DC Contactor Product type: CZW200A-K Rated load current: 200A Contact form: 1 Circuit	104
				Product name: Magnetic Holding DC Contactor Product type: CZW300A-K Rated load current: 300A Contact form: 1 Circuit	105
				Product name: Magnetic Holding DC Contactor Product type: CZW400A-K Rated load current: 400A Contact form: 1 Circuit	106
				Product name: Magnetic Holding DC Contactor Product type: CZW152A-K Rated load current: 150A Contact form: 1 Circuit	107
				Product name: Magnetic Holding DC Contactor Product type: CZW252A-K Rated load current: 250A Contact form: 1 Circuit	108
				Product name: Magnetic Holding DC Contactor Product type: CZW352A-K Rated load current: 350A Contact form: 1 Circuit	109
				Product name: Magnetic Holding DC Contactor Product type: CZW600A-K Rated load current: 600A Contact form: 1 Circuit	110
				Product name: Magnetic Holding DC Contactor Product type: CZW800A-K Rated load current: 800A Contact form: 1 Circuit	111

	<p>Product name: Magnetic Holding DC Contactor Product type: CZW1600A-K Rated load current: 1600A Contact form: 1 Circuit</p> <p>112</p>
	<p>Product name: Magnetic Holding DC Contactor Product type: CZW2000A-K Rated load current: 2000A Contact form: 1 Circuit</p> <p>113</p>
	<p>Product name: Magnetic Holding DC Contactor Product type: CZW3000A-K Rated load current: 3000A Contact form: 1 Circuit</p> <p>114</p>
	<p>Product name: Magnetic Holding DC Contactor Product type: CZWH1600A-K Rated load current: 1600A Contact form: 2 Circuit</p> <p>115</p>
	<p>Product name: Magnetic Holding DC Contactor Product type: CZWH2000A-K Rated load current: 2000A Contact form: 2 Circuit</p> <p>116</p>
	<p>Product name: Magnetic Holding DC Contactor Product type: CZWH3000A-K Rated load current: 3000A Contact form: 2 Circuit</p> <p>117</p>
	<p>Product name: Precharge DC Contactor Product type: HEV-R</p> <p>Contact form: 1 NO(SPST-NO) or 1NC(SPS1-NC) Coil power: Start:30-60,Keep:2-10 W</p> <p>118</p>
	<p>Product name: Rail Types Solid State Relay Product type: SA</p> <p>119</p>



Product name: Rail Relay
Product type: SB

120



Product name: Emergency Switch
Product type: CZK125A

121



Product name: Emergency Switch
Product type: CZK250A-1

122




Product name: Emergency Switch
Product type: CZK400A

123



Product name: Contactor (Charging Plug)
Product type: CHJ

124



Product name: DC Contactor Energy Saver
Product type: JN

125

-- The end --